Developing Innovative AI Techniques for Depression Detection Based on Social Media Platform.

Synopsis Submitted To

Swami Ramanand Teerth Marathwada University, Nanded

For The Award of the Degree

Doctor of Philosophy

In the Subject of

Computer Science and Engineering

Faculty of Science and Technology

By

Ashwini Datta Paikrao

Supervised by

Dr. M. V. Vaidya
Department of
Information Technology

Shri Guru Gobind Singhji Institute of Engineering and Technology,Nanded (M.S.) India. 2024-2025.

Contents

1. **Introduction**..... 3

2. **Literature Survey**..... 4

3. **Challenges**..... 5

4. **Problem Definition**..... 5

5. **Objectives** 5

6. **Methodology**.....6

7. **Proposed Plan**.....7

8. **Conclusion** 7

References ..... ……

Abstract

Depression, a widespread mental health condition with substantial personal and social impacts, necessitates early detection for effective intervention. Traditional screening methods, such as self-report questionnaires and clinical interviews, often fail to capture the full scope of an individual's emotional state and always time consuming and subject labor intensive. The focus of this study is crafting a dependable and precise system to identify depression from social media text, by employing recent and advance tool and technology in AI.

The research aims to enhance mental health research area by using NLP and ML to identify depression, contributing to proactive digital mental health care. Over the past few years, social media platforms like Twitter, Facebook, Reddit, Instagram, etc. have become a medium for one to share their feelings and experiences. This stands as a significant opportunity for the research community to utilize such data for early diagnosis of different psychological issues like “depression” (a mood disorder marked by a sense of despair and detachment).

To improve early detection of depression, we propose an advanced artificial intelligence (AI) and deep learning (DL)-based model. This model leverages NLP techniques, including tokenization, stemming, n-gram analysis, and TFIDF, convert raw content into meaningful representations capturing linguistic and emotional facets of depression. Utilizing the preprocessed data, the ml and dl algorithms acquire discriminating patterns through feature extraction and techniques to identify signs of major depressive disorder on social media. our system learns to recognize patterns using convolutional neural networks (CNN) and long-short term memory (LSTM) models. This innovative approach aims to enhance the detection and intervention of depression by analyzing diverse data sources with advanced algorithms, offering a promising solution to this critical mental health issue.

1. Introduction

Depression is a widespread and serious mental health condition affecting people of all ages and backgrounds. According to the World Health Organization (WHO), it is the leading cause of global disability, impacting 264 million individuals. Despite its significant impact, depression often goes undetected and untreated due to stigma, limited access to mental healthcare, and the difficulty of accurately identifying symptoms.

Traditional methods of depression screening rely heavily on self-report questionnaires, clinician assessments, and subjective interpretation of symptoms, which can be time-consuming, prone to bias, and may not capture subtle changes in mental health status. Moreover, these approaches may not adequately address the diverse manifestations of depression or account for individual differences in symptom presentation, Thus it is very important to identify such patients and provide them with timely professional help, as early detection of such disorders can reduce the damages caused due to depression.

In this study we will explore the current landscape of depression screening in humans using AI and deep learning techniques. By examining the intersection of AI and mental healthcare, we aim to contribute to the ongoing efforts to improve depression screening, diagnosis, and treatment for individuals around the world. An increasing number of college students and individuals in general suffering from these mental ailments use social media platforms such as Reddit, Twitter, YouTube, and Facebook to express their feelings, experiences, and challenges of mental disorders. Anonymity enables them to fully express themselves. Thus, the use of social media as a tool for early detection of depression has become very popular and effective Since this data is massive in size, therefore, it becomes increasingly difficult to identify suicidal or depressed individuals manually Thus, in this case, natural language processing (NLP) can be used as an effective technique to detect depressive users on social media. Sciences Early detection is crucial in mitigating the severe effects of depression.

This study explores how advancements in Artificial Intelligence (AI) and deep learning can improve depression screening, diagnosis, and treatment worldwide. This article is thus an attempt to search for a solution of depression detection on Social media platforms like Reddit, Twitter, YouTube, and Facebook are particularly useful, as they allow people to share their mental health experiences openly, so the aim of this paper, identifies depressive users on multiple social media platforms such This system will be helpful for medical practitioners or psychologists to readily identify depressive users based on the language used.

This article seeks to enhance depression detection by using AI to analyze language cues on social media platforms. Our goal is to provide medical practitioners and psychologists with a powerful tool for early identification, leading to timely intervention and support for those affected by depression. Through this effort, we aim to improve depression screening and offer hope to those struggling with this condition.

2. Literature Survey

There have been several studies done in the literature relating to mental health and spoken language. Many theories connecting depression with sociology and psychology have been defined in the literature.

The literature on depression detection via social media employs NLP, ML, and DL techniques to analyze linguistic features, emotional patterns, and social interactions. Studies use diverse data sources, including surveys and self-reports, while also assessing the reliability of clinical tools in digital contexts, emphasizing the role of social network analysis and context in identifying mental health indicators.

These studies highlight the promising potential of AI in enhancing mental health monitoring and intervention, demonstrating that advanced computational methods, including NLP, ML, and DL, are pivotal in identifying and addressing depression through social media data.

A.S.M. Farhan Kabir Redoy, "Depression Detection From Social Media Textual Data Using Natural Language Processing and Machine Learning Techniques," 2023. This study utilizes NLP and ML techniques to detect depression from social media posts. The research demonstrates significant improvements in detection accuracy by analyzing linguistic features within user posts.

Khan Md Hasib, "Depression Detection From Social Networks Data Based on Machine Learning and Deep Learning Techniques: An Interrogative Survey," 2023. This survey compares multiple ML and DL approaches for depression detection on social media, discussing the strengths and limitations of each method, providing insights into the evolution of depression detection techniques.

Mario Ezra Aragon, "Detecting Mental Disorders in Social Media Through Emotional Patterns - The Case of Anorexia and Depression," 2021. This research focuses on emotional pattern analysis, identifying specific emotional markers linked to anorexia and depression, thus contributing to the differentiation of mental disorders based on emotional cues in social media posts.

Nafiz Al Asad, "Depression Detection by Analyzing Social Media Posts of User," 2019. The study explores user-generated social media posts, highlighting the importance of both contextual and linguistic features in detecting depressive symptoms, thereby improving the reliability of digital depression detection methods.

S. Ram Narayanan, "Detection of Depression from Social Media Using Deep Learning Approach," 2020.

By applying deep learning models, this study achieves high accuracy in detecting depressive content and user behaviors from social media, showcasing the potential of DL in automating depression detection.

Loukas Ilias, "Calibration of Transformer-based Models for Identifying Stress and Depression in Social Media," 2023.
This work implements and calibrates transformer-based models to detect depression, outperforming traditional ML models and demonstrating their effectiveness in complex, large-scale data environments.

Shreya Ghosh, "Depression Intensity Estimation via Social Media: A Deep Learning Approach," 2021.
Ghosh's research proposes deep learning techniques to estimate the intensity of depression based on social media posts, offering a nuanced understanding of depressive states and contributing to more personalized mental health assessments.

Sageta Kameti, "A Hybrid Model for Depression Detection Using Deep Learning," 2020.
This study introduces a hybrid deep learning model, combining multiple architectures to enhance the accuracy of depression detection from social media, thus showing the potential of hybrid approaches for more robust outcomes.

Aleena Nadeem, "Depression Detection Based on Hybrid Deep Learning SSCL Framework Using Self-Attention Mechanism: An Application to Social Networking Data," 2020.
Nadeem proposes a hybrid model using a self-attention mechanism, which improves the accuracy of depression detection in social networking data by focusing on the most relevant parts of user posts.

3. Challenges

1. **Data Privacy and Security**: Using social media data for depression screening raises concerns about the protection of personal and sensitive information, requiring robust privacy measures.
2. **Bias in Data**: AI models may inherit biases from training data, leading to inaccurate depression detection, especially for underrepresented or marginalized populations.
3. **Interpretability and Transparency**: Deep learning models are often opaque, making it difficult to understand how decisions are made, which is crucial for clinical trust and adoption.
4. **Quality and Consistency of Data**: Social media data is unstructured and inconsistent, which can affect the reliability and accuracy of depression detection models.
5. **Ethical Concerns**: The use of AI in mental health screening raises ethical issues, such as ensuring informed consent and preventing misuse or over-reliance on automated systems.

4. Problem Statement:

"Developing Explainable AI and Deep Learning Techniques for Accurate and Transparent Depression Screening in Humans"

Explanation:

Depression is a widespread and debilitating mental health condition that affects individuals globally, often remaining undiagnosed due to the limitations of current screening methods. Traditional screening relies on subjective self-report questionnaires and clinical interviews, which can be biased and inconsistent. AI and Deep Learning (DL) techniques present an opportunity to create objective, efficient, and scalable tools for depression screening. However, the implementation of these technologies poses several challenges that must be addressed to ensure their effectiveness and acceptance in clinical settings.

5. Objective

The primary objective of this research is to develop and validate effective depression screening methods using artificial intelligence (AI) and deep learning techniques. Specifically, the research aims to:

1. To develop AI models that detect early signs of depression for timely treatment and better long-term outcomes.
2. To develop affordable and scalable AI-driven screening solutions that make mental health care accessible to underserved communities. This will ensure timely support and improve overall well-being for those in need.
3. To develop AI tools that personalize depression screening based on individual risk factors for more accurate diagnoses.
4. To develop AI-based screening systems that integrate into routine healthcare for continuous mental health monitoring and support.

6. Methodology

After a detailed review of existing methods and their applications, new research directions will be identified to enhance depression detection. This involves designing innovative strategies to extract key features indicative of depression. Our research will leverage AI and Machine Learning techniques. Initially, we will explore and compare various tools and approaches to identify the most effective ones. Next, we will experiment with combinations of multiple techniques to gain deeper insights and improve performance. Finally, the developed model will be rigorously tested to evaluate its accuracy and effectiveness. The study will also emphasize uncovering detailed insights and potential areas for further advancements in depression screening research.



- **Block diagram of methodology**

The methodology in the diagram outlines a systematic approach to depression detection using AI and Machine Learning. The process begins with **data collection**, where relevant data from various sources is gathered to create a robust dataset. Next, the data undergoes **data cleaning** to remove noise, inconsistencies, or irrelevant information, followed by **data normalization**, which standardizes the data for uniformity and ensures compatibility with machine learning models.

The cleaned and normalized data then proceeds to **feature extraction**, where key patterns and attributes indicative of depression are identified and isolated using advanced techniques. The extracted features are split into **training data**, which is used to train machine learning models, and **depression classification**, where the trained models classify the data and identify depression indicators.

Finally, the system outputs the **detection outcome**, offering a precise and reliable prediction of depression presence. This iterative process ensures accuracy and enables further research into optimizing techniques and exploring potential areas for innovation in depression detection methodologies.

7. Proposed Plan

year	**Objective**	**Tasks**	**Outcomes**
Year 1	Literature Review & Data Collection	- Review literature. - Collect and preprocess data	Completed review. - Prepared data.
Year 2	Model Development	Develop and test ML/DL models.	Built models. - Initial results.
Year 3	Optimization, Validation & Publication	Optimize models. - Validate with data. - Write and submit paper.	Improved models. - Paper submitted

8. Conclusion:

In conclusion, AI and Deep Learning offer a promising approach to revolutionizing depression screening. By analyzing social media data with different methadalogy and models like CNNs and RNNs, AI can identify individuals at risk of depression, enabling early intervention. These technologies overcome the limitations of traditional methods, such as biases and scalability issues, by providing real-time insights into mental health trends.

However, ethical concerns, including privacy, data bias, and the need for transparency, must be addressed, with continued innovation, AI has the potential to transform depression screening and improve mental health care globally.

References:

1. M. M. Tadesse, H. Lin, B. Xu, and L. Yang, “Detection of depression related posts in Reddit social media forum,” IEEE Access, vol. 7, 923 pp. 44883–44893, 2019.

2. Hasib, K. M., Islam, M. R., Sakib, S., Akbar, M. A., Razzak, I., & Alam, M. S. (2023). Depression detection from social networks data based on machine learning and deep learning techniques: An interrogative survey. IEEE Transactions on Computational Social Systems. Retrieved from IEEE Xplore.

3. F. Kabir, M. A. Hossain, and A. F. M. M. Rahman, "Depression Detection From Social Media Textual Data Using Natural Language Processing and Machine Learning Techniques," in *Proceedings of the IEEE [Conference/Journal.

4. M. E. Aragon, A. P. López-Monroy, L. C. González-Gurrola, and M. Montes-y-Gómez, "Detecting mental disorders in social media through emotional patterns: The case of anorexia and depression," IEEE Transactions on Affective Computing, 2021.

5. N. Al Asad, M. A. M. Pranto, S. Afreen, and , "Depression detection by analyzing social media posts of users," in Proc. 2019 IEEE International Conference.

6. S. R. Narayanan, S. Babu, and A. Thandayantavida, "Detection of depression from social media using deep learning approach," Journal of Positive School Psychology,2022.

7. L. Ilias, S. Mouzakitis, and D. Askini's, "Calibration of transformer-based models for identifying stress and depression in social media," IEEE Transactions on Computational Social Systems, v 2023.

8. S. Ghosh and T. Anwar, "Depression intensity estimation via social media: A deep learning approach," IEEE Transactions on Computational Social Systems, vol. XX, no. XX, pp. XX-XX, 2021.

9. F. Kabir, M. A. Hossain, A. F. M. M. Rahman, and [Other Authors], "Depression detection from social media textual data using natural language processing and machine learning techniques," in Proc. [Conference Name], 2023.

10. K. M. Hasib, M. R. Islam, S. Sakib, M. A. Akbar, I. Razzak, and M. S. Alam, "Depression detection from social networks data based on machine learning and deep learning techniques: An interrogative survey," IEEE Transactions on Computational Social Systems, vol. XX, no. XX, pp. XX-XX, 2023. Available: ieeexplore.ieee.org.

11. Depression Screening in Humans With AI and Deep Learning Techniques Mudasir Ahmad Wani, Mohammad A. ELAffendi , Kashish Ara Shakil, Ali Shariq Imran , Senior Member, IEEE, and Ahmed A. Abd El-Latif , Senior Member, IEEE.

Signature:

Dr M V Vaidya
Research Supervisor

Signature:
Ashwini D Paikrao:
Research Scholar